



The PROCTER Mesh Cycle Locker

The PROCTER Mesh Cycle Locker is an extremely robust and secure cycle locker. The combination of mesh and fully welded angle iron ensures the Mesh Cycle Locker offers a high level of cycle parking security. The door is internally hinged to further increase the security and the provision for the user to use their own padlock further enhances the security of the Mesh Cycle Locker. The Mesh Cycle Locker is also available with an optional galvanised sheet steel roof panel to provide the bicycle with protection from the weather and a cycle holder to provide support for the bicycle.

The practical and durable nature of the PROCTER Mesh Cycle Locker ensures that the locker is suitable for all environments where high security cycle parking is required. Please note the padlock shown is not included.

Options

Order Code	Description	Weight
138 250 200	Mesh Cycle Locker	92.0kg

Options

138 250 215	Roof Panel for Mesh Cycle Locker (Galvanised)
138 250 100	Holder for Cycle Locker

Product details

1,225mm x 1,875mm x 835mm (Height x Depth x Width)
 Galvanised mild steel mesh and angle iron construction.

Installation & use

Fix using 4 no. 10mm bolts to a suitable concrete surface.
 This product is guaranteed for 12 months (*if installed and used correctly*).

Tel Sales : 02920 855756 - Fax : 02920 887005 - Email : Enquiries@procterContracts.co.uk

Procter Contracts - North
 Isabella Road
 Leeds
 LS25 2DY

Procter Contracts - South West
 11 Pantglas Industrial Estate
 Bedwas
 CF83 8XD

Procter Contracts -South East
 Codham Hall
 Brentwood
 CM13 3JT



The PROCTER Vertical Mesh Cycle Locker

The PROCTER Vertical Mesh Cycle Locker is an extremely robust and secure cycle locker. The bicycle is stored vertically by hanging the front wheel from the integrated hook. The combination of mesh and fully welded angle iron ensures the Vertical Mesh Cycle Locker offers a high level of cycle parking security. The door is internally hinged to further increase the security and the provision for the user to use their own padlock further enhances the security of the Vertical Mesh Cycle Locker.

The practical and durable nature of the PROCTER Vertical Mesh Cycle Locker ensures that the locker is suitable for all environments where high security cycle parking is required.

Options

Order Code	Description	Weight
138 250 300	Vertical Mesh Cycle Locker	92.0kg

Product details

1,870mm x 1,276mm x 835mm (Height x Depth x Width)
 Galvanised mild steel mesh and angle iron construction.

Installation & use

Fix using 4 no. 10mm bolts to a suitable concrete surface.
 This product is guaranteed for 12 months (*if installed and used correctly*).

Tel Sales : 02920 855756 - Fax : 02920 887005 - Email : Enquiries@procterContracts.co.uk

Procter Contracts - North
 Isabella Road
 Leeds
 LS25 2DY

Procter Contracts - South West
 11 Pantglas Industrial Estate
 Bedwas
 CF83 8XD

Procter Contracts -South East
 Codham Hall
 Brentwood
 CM13 3JT



The PROCTER Tapered Vertical Mesh Cycle Locker

The PROCTER Tapered Vertical Mesh Cycle Locker is an extremely robust and secure cycle locker. The bicycle is stored vertically by located the rear wheel over the integrated ridge. The combination of mesh and fully welded angle iron ensures the Locker offers a high level of cycle parking security. The door is internally hinged to further increase the security and the provision for the user to use their own padlock further enhances the security of the Tapered Vertical Mesh Cycle Locker. The reduced footprint of the Tapered Vertical Mesh Cycle Locker offers the opportunity to arrange multiple lockers in a much reduced area than traditional horizontal style lockers. The practical and durable nature of the PROCTER Tapered Vertical Mesh Cycle Locker ensures that the locker is suitable for all environments where high security cycle parking is required.

Options

Order Code	Description	Weight
138 250 350	Tapered Vertical Mesh Cycle Locker	116.0kg

Product details

1,880mm x 1,373mm x 847mm (Height x Depth x Width)
 Galvanised mild steel mesh and angle iron construction.

Installation & use

Fix using 3 no. 10mm bolts to a suitable concrete surface.
 This product is guaranteed for 12 months (*if installed and used correctly*).

Tel Sales : 02920 855756 - Fax : 02920 887005 - Email : Enquiries@procterContracts.co.uk

Procter Contracts - North
 Isabella Road
 Leeds
 LS25 2DY

Procter Contracts - South West
 11 Pantglas Industrial Estate
 Bedwas
 CF83 8XD

Procter Contracts -South East
 Codham Hall
 Brentwood
 CM13 3JT