







The PROCTER Seating Shelter

The PROCTER Seating Shelter is designed for on-site assembly. A free standing shelter, it is manufactured from mild steel and galvanised to ensure its longevity.

The Seating Shelter is an ideal way to make open and common areas welcoming and hospitable to all ages. This highly durable and practical shelter from PROCTER open spaces offers young people a place to gather and meet with their friends in a safe and sheltered area, making it ideal for parks and schools.

The shelter is supplied ragged as standard, a flanged version is also available. It can be colour coated any BS/RAL colour to suit existing colour schemes (BS/RAL numbers must be specified at time of order).

Product Range

Order Code	Description	Weight
138 222 255	Seating Shelter Ragged (Galvanised)*	350.0kg
138 222 250	Seating Shelter Flanged (Galvanised)*	348.0kg

*Versions can be colour coated upon request (please specify BS/RAL numbers)

Product details

2,314mm (Overall Height) 2,621mm (Depth) 2,381mm (Width, Top, per bay)

Installation & use

Flanged shelters require bolting to a concrete surface by means of 12mm anchor bolts (6 required for each flange). Ragged shelters are supplied with welded fixing spikes to ensure firm ground anchorage. Ragged shelters require a hole of at least 500mm³ around each leg for casting into concrete. On-Site assembly requires construction skill. This product is guaranteed for 12 months (if installed and used correctly).

Tel Sales: 02920 855756 Fax: 02920 887005 Email: Enquiries@ProcterContracts.co.uk



DESIGN . SUPPLY . INSTALL







The PROCTER Teenage Shelter

The PROCTER Teenage Shelter is a free-standing shelter perfect for use in parks and schools.

The Shelter is an ideal way of making open and common areas welcoming and hospitable to all ages. Highly durable, this shelter offers young people a place to gather and meet with their friends in a safe and sheltered area; while the shelter's curved back provides effective cover from the elements throughout the year.

Designed for on-site assembly, it is manufactured from mild steel and galvanised to ensure its longevity. The shelter can be arranged into a variety of configurations to fit site requirements. It is supplied flanged as standard, and can be colour coated any BS/RAL colour to suit existing colour schemes (BS/RAL numbers must be specified at time of order).

Pictured is a Main Bay with three Extension Bays.

Product Range

Order Code	Description	Weight
138 222 150	Teenage Shelter Main Bay (Galvanised)*	125.0kg
138 222 155	Teenage Shelter Extension (Galvanised)*	98.0kg
	*Versions can be colour coated upon request (please specify BS/RAL numbers)	

(Note: a maximum of six extension bays can be added to a Main Bay to create one shelter)

Product details

2,298mm (Overall Height)
2,219mm (Clearance Height)
1,400mm (Depth)
613mm (Width, Top Front, per bay)
1,776mm (Width, Rear, per bay)

Installation & use

The shelter requires bolting to a suitable concrete surface (size determined by configuration) by means of 12mm anchor bolts (2 required per flange).

On-site assembly requires construction skill.

This product is guaranteed for 12 months (if installed and used correctly).

Tel Sales: 02920 855756 - Fax: 02920 887005 - Email: Enquiries@procterContracts.co.uk