

www.redbooklive.com

Certificate of Product Approval

Certificate Number: 1554a

Issue: 01



Procter Bros Limited

11 Pantglas Industrial Estate Bedwas **CF83 8XD**

Product

Pro-Secure Swing security gates

Standard

LPS 1175: Issue 8

Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities

ce that

Chris Hunt

21 October 2019

21 October 2019

Signed for BRE Global Ltd.

Verifier

Date of Issue

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX T: +44 (0)333 321 8811 E: enquiries@breglobal.com





Appendix to Certificate No: 1554a

Procter Bros Limited

Issue: 01

Security Gates

Product Name	Туре	Height (m)	Minimum Width	Width	th Width		ole Locking tems	Security Rating	LPCB Ref. No.
			(m)	(m)	Active Leaf	Passive Leaf			
Pro-Secure Swing	Single leaf inward opening security gate	1.8, 2.0, 2.4, 3.0 and 3.6	1.2	5.0	1	N/A	A1 (SR1)	1554a/01	
	Double leaf inward opening security gate	1.8, 2.0, 2.4, 3.0 and 3.6	2.0	10	1	2			

Compatible Locking Devices

Compatible	Type	Compatible Operating D	Compatible Padlocks		
Locking Device		External face	Internal face		
1	Padlockable sliding bar	Padlock and sliding bar	Padlock and sliding bar	Squire SS50S padlock with Squire 6 pin cylinder	
2	Drop bolt	N/A	Drop bolt	N/A	

Notes

- The gates shall be mounted onto flat topography. The gates are available in configurations to suit either surface mounting onto hard surfaces or embedding within concrete foundations placed in the ground. Furthermore, the local ground onto/into which the gate is installed shall offer compatible strength.
- 2. The double leaf gates are approved with leaves of equal width only.
- Certification does not cover the use of locks other than those listed in the table. Utilisation of unlisted locks may affect the level of security offered by the gate.

This certificate and appendix is maintained and held in force through regular surveillance activities

ce that

Signed for BRE Global Ltd.

Chris Hunt Verifier

21 October 2019

21 October 2019

Date of First Issue Date of Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX T: +44 (0)333 321 8811 E: enquiries@breglobal.com









Certificate of Product Approval

Certificate Number: 1554b

Issue: 01



Procter Bros Limited

11 Pantglas Industrial Estate Bedwas Caerphilly CF83 8XD

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Product

Pro-Secure Ultra Swing security gates

Standard

LPS 1175: Issue 8

Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities

ce that

Chris Hunt

21 October 2019

21 October 2019

Signed for BRE Global Ltd.

Verifier

Date of Issue

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX

T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre



Appendix to Certificate No: 1554b

Procter Bros Limited

Issue: 01

Security Gates

Product Name	Туре	Height (m)	Minimum Width	Width Width		Compatible Locking Systems		LPCB Ref. No.
			(m)	(m)	Active Leaf	Passive Leaf		
Pro-Secure Ultra Swing	Single leaf inward opening security gate	2.0, 2.4, 3.0 and 3.6	1.2	5.0	1	N/A	B3 (SR2)	1554b/01
	Double leaf inward opening security gate	2.0, 2.4, 3.0 and 3.6	2.0	10	1	2		

Compatible Locking Devices

Compatible Type		Compatible Operating De	Compatible Padlocks		
Locking Device		External face Internal face			
1	Padlockable sliding bar	Padlock and sliding bar	Padlock and sliding bar	Squire SS50S padlock with Squire 6 pin cylinder	
2	Drop bolt	N/A	Drop bolt	N/A	

Notes

- 1. The gates shall be mounted onto flat topography. The gates are available in configurations to suit either surface mounting onto hard surfaces or embedding within concrete foundations placed in the ground. Furthermore, the local ground onto/into which the gate is installed shall offer compatible strength.
- 2. The double leaf gates are approved with leaves of equal width only.
- 3. Certification does not cover the use of locks other than those listed in the table. Utilisation of unlisted locks may affect the level of security offered by the gate.

This certificate and appendix is maintained and held in force through regular surveillance activities

ce that

Chris Hunt

21 October 2019

21 October 2019

Signed for BRE Global Ltd.

Verifier

Date of Issue

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX

T: +44 (0)333 321 8811 E: enquiries@breglobal.com







www.redbooklive.com

Certificate of Product Approval

Certificate Number: 1554c

Issue: 01



Procter Bros Limited

11 Pantglas Industrial Estate CF83 8XD

Product

Pro-Secure Sliding security gates

Standard

LPS 1175: Issue 8

Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities

ce that

Signed for BRE Global Ltd.

Chris Hunt

28 October 2019

28 October 2019 Date of First Issue

Date of Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX

T: +44 (0)333 321 8811 E: enquiries@breglobal.com





Appendix to Certificate No: 1554c

Procter Bros Limited

Issue: 01

Security Gates

Product Name	Туре	Height (m)	Minimum Width (m)	Maximum Width (m)	Compatible Locking Systems	Security Rating	LPCB Ref. No.
Pro-Secure Sliding	Cantilevered sliding security gate	1.8, 2.0, 2.4 and 3.0	3.0	10	1 or 2	A1 (SR1)	1554c/01

Compatible Locking Devices

Compatible Locking Device	Type	Compatible Operating Devices	Compatible Padlocks
1	Motor locking	Secured using integral motor	N/A
2	Padlockable bar	Padlock and bar	Squire SS50S padlock with Squire 6 pin cylinder

Notes

- 1. The gate is for surface mounting onto hard flat topography. Furthermore, the local ground onto/into which the gate is installed shall offer compatible strength.
- 2. The motor is operated from the protected side of the gate using an access control system. Operation from the attack face of the gate is not possible.
- 3. The padlockable bar can be operated from both sides of the gate.
- Certification does not cover the use of locks other than those listed in the table. Utilisation of unlisted locks may affect the level of security offered by the gate.

This certificate and appendix is maintained and held in force through regular surveillance activities

ce Hut

Chris Hunt

28 October 2019

28 October 2019

Signed for BRE Global Ltd.

Verifier

Date of Issue

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX

T: +44 (0)333 321 8811 E: enquiries@breglobal.com







www.redbooklive.com

Certificate of Product Approval

Certificate Number: 1554d

Issue: 01



Procter Bros Limited

CF83 8XD

Product

Pro-Secure Ultra Sliding security gates

Standard

LPS 1175: Issue 8

Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities

ce that

Chris Hunt

28 October 2019

28 October 2019

Signed for BRE Global Ltd.

Date of Issue

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX T: +44 (0)333 321 8811 E: enquiries@breglobal.com





Appendix to Certificate No: 1554d

Procter Bros Limited

Issue: 01

Security Gates

Product Name	Туре	Height (m)	Minimum Width (m)	Maximum Width (m)	Compatible Locking Systems	Security Rating	LPCB Ref. No.
Pro-Secure Ultra Sliding	Cantilevered sliding security gate	2.0, 2.4 and 3.0	3.0	10	1 or 2	B3 (SR2)	1554d/01

Compatible Locking Devices

Compatible Locking Device	Туре	Compatible Operating Devices	Compatible Padlocks
1	Motor locking	Secured using integral motor	N/A
2	Padlockable bar	Padlock and bar	Squire SS50S padlock with Squire 6 pin cylinder

Notes

- 1. The gate is for surface mounting onto hard flat topography. Furthermore, the local ground onto/into which the gate is installed shall offer compatible strength.
- 2. The motor is operated from the protected side of the gate using an access control system. Operation from the attack face of the gate is not possible.
- 3. The padlockable bar can be operated from both sides of the gate.
- 4. Certification does not cover the use of locks other than those listed in the table. Utilisation of unlisted locks may affect the level of security offered by the gate.

This certificate and appendix is maintained and held in force through regular surveillance activities

ce that

Signed for BRE Global Ltd.

Chris Hunt Verifier 28 October 2019

28 October 2019

Date of Issue

Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX

T: +44 (0)333 321 8811 E: enquiries@breglobal.com



